

CORDLESS TOOLS

INNOVATIVE TECHNOLOGY

ECO-FRIENDLY PRODUCTS

FREEDOM TO MOVE AROUND

brandonhirestation.com



Brandon Hire Station
The UK's Tool and Equipment Hire Specialist

CORPORATE SOCIAL RESPONSIBILITY

Brandon Hire Station part of the Vp plc Group has always conducted its business responsibly and ethically. Corporate social responsibility forms an integral part of our business strategy and is focussed on our people, health and safety, the environment, our communities and our ethics.

OUR PEOPLE

Our continued business success is reliant upon the skills, talent and commitment of our global workforce. Retaining and attracting the best people supports our aims of exceeding customer expectations and enhancing shareholder value. We continue to attract new talent to the Group as well as nurturing and promoting talent from within.

We recognise that a diverse workforce helps to promote innovation and business success. The Group is an equal opportunity employer providing the same level of opportunity to all, regardless of creed, colour, age, sex, disability or sexual orientation.

HEALTH & SAFETY

A good reputation for health and safety is fundamental to our business. It is essential that we provide equipment that is safe to use and that we ensure that accidents and dangerous occurrences are avoided. We aim to continually improve standards of health and safety within all our businesses and with our customers. Our policies and procedures are designed to ensure that the health and safety of all our employees, customers and anyone else affected by our activities is appropriately safeguarded.

ENVIRONMENT

We are aware of the impact our business has on the environment and it is our aim to ensure that we minimise any adverse impacts from our operations. The Group is committed to mitigating its impact on the environment by continually reviewing, managing, controlling and improving its environmental performance. It is the Group's intention to achieve its business aims while meeting rising environmental standards.

COMMUNITY

We aim to have a positive impact on the communities in which we operate. We actively encourage our teams to support their communities by providing their time and enthusiasm to raise money for local and national charities. In most cases monies raised by employees are matched by the Group.

ETHICS

Vp plc has always conducted its business responsibly and ethically. The Group is committed to operating with honesty and integrity, and we expect all employees to maintain high standards.











FOR MORE INFORMATION ABOUT OUR CORPORATE SOCIAL RESPONSIBILITY AND POLICIES VIEW ONLINE AT vpplc.co.uk/csr





CORDLESS TOOLS

Here you will find a selection of eco-friendly equipment for hire.

-  Charging
-  Plant
-  Drilling, Breaking & Fixing
-  Heating
-  Lighting
-  Cutting & Grinding
-  Woodworking
-  Cleaning
-  Surface Preparation
-  Landscaping
-  Lifting
-  Quick Branch Finder

Contact your local branch or call 0370 99 00 999



CHARGEpod ⚡

Are you looking for secure site storage, complete with 24/7/365 tool charging facilities?

Portable Store & Charge Station

Roof mounted vandal & shatter proof solar panels

Self-charging hybrid battery diesel generator

On-board visual power performance reports

Hybrid generator room

Shelving

Racking

Storage & charging area

Storage & charging areas

Racking & power points

Shelving area & power points





CHARGING



Renewable Power



Save CO₂ Emissions



Save Fuel Costs



Save Noise

CHARGEpod ⚡

Portable Store & Charge Station

Features

- 24 x 13A charge points inside a safe, dry & secure area.
- Large internal storage for various equipment & consumables.
- Lockable, secure & safe vandal proof cabin.
- Internal LED lighting.
- Internal self-charging hybrid battery diesel generator.
- In excess of 3 months run time on 100l diesel.
- Roof mounted vandal and shatter proof solar panels.
- Monthly power performance reports available.

Specification

Generator Power		Battery Power		Solar Power	Noise Level		Dimensions (mm)			Wet Weight (Fuel Full) (kg)	Sockets		
230V		230V			Gen Model	Battery Model	L	W	H				
kVA	kW	kVA	kW		LWA	dBa@7m				LWA	dBa@7m		
6	4.8	6	4.8	800W	TBA	TBA	0	0	5900	2350	2400	2455	24

For more information call 07545 921 167

Contact your local branch or call 0370 99 00 999



ELECTRIC DUMPSTER

The HTD-5E is a compact, high-tip, electric powered Dumpster, designed by JCB to save you time, energy and money.

Features

- 100% Electric powered
- No compromise on performance
- Instant Power
- Instant Torque
- Instance Response
- 2 hour charge* time from any standard 13A socket outlet. 110V or 230V available
- Zero Emissions
- Low Noise
- Maximum machine width of just 690mm
- Fits through a standard doorway
- 1,450mm load over directly into a skip or high sided vehicle
- High carrying capacity of 500kg
- CESAR Data tag option
- Easy access for daily checks, servicing and maintenance
- Bull bar available as an option for walk behind variant
- SmartStep available as an option for ride along capability and increased site safety

TECHNICAL SPECIFICATION

MAXIMUM CARRY CAPACITY	500kg
OVERALL HEIGHT (TRANSPORT POSITION)	1,105mm
MAXIMUM HEIGHT (TIPPING POSITION)	2,700mm
PEAK POWER / CONTINUOUS POWER	9kW / 4.5kW
MAXIMUM TRACKING SPEED	3km/h
PEAK TORQUE	42Nm
BATTERY RATING / SYSTEM VOLTAGE	4.9kW/h / 48V



Brandon Hire Station
The UK's Tool and Equipment Hire Specialist

brandonhirestation.com



ELECTRIC MINI DUMPER

At just 850mm wide this 4x4 Electric Mini Dumper is really compact, fitting through most doorways, gets into places other units can't. With a massive skip capacity the Electric Mini Dumper offers excellent load capacity in and around sites and gardens. A regenerative-braking system helps the slow down when stopping; this generates power into the battery pack to increase efficiency and range.

CODE	ITEM
110052	ELECTRIC MINI DUMPER

TECHNICAL SPECIFICATION

ENGINE/MOTOR / POWER	DC Brushless Motor 1300W/24V (kW)/hp
POWER TYPE	2 x 12V AGM Batteries
MAX PAYLOAD	450kg/0.3m ³
UNLADEN WEIGHT	255kg
WORKING GRADIENT	25°
FORWARD TRAVEL / REVERSE TRAVEL	0-3.5mph / 0-1.5mph
NOISE LEVEL	< 76(db)
HAND ARM VIBRATION	2.5 m/s ²



ELECTRIC MINI DIGGER

The first Electric Mini Digger, leading the way in clean technology & reducing harmful emissions. Producing zero emissions without compromising on performance. With quick charging and enough battery life for a full days work on a single charge, this Electric Mini Digger allows contractors to work inside buildings and in emissions-sensitive inner city environments. Applications include earthmoving, road construction, building & construction, landscaping and indoor areas etc.

CODE	ITEM
400003	ELECTRIC MINI DIGGER

TECHNICAL SPECIFICATION

BATTERY TYPE	Manganese Laminate Lithium-ion
SYSTEM VOLTAGE	48V
BOOM / DIPPER LENGTH	1800mm / 1100mm
MAXIMUM DIGGING REACH / DEPTH / HEIGHT	4043mm / 2576mm / 3667mm
TRACK LENGTH ON GROUND	1220mm
FORWARD TRAVEL / REVERSE TRAVEL	0-3.5mph / 0-1.5mph
DIMENSIONS LENGTH / WIDTH / HEIGHT	1578mm / 996mm / 2345mm
OPERATING WEIGHT	1862kg





EVERYDAY
PRODUCT
HIRE
GUARANTEE



CORDLESS DRILL/SCREWDRIVER

This completely independent hammer driver drill is perfect if you are working away from the mains power supply. Developed specially for light to medium duty drilling and fastening applications. Supplied complete with 240V Battery Charger and 2 x Batteries.

Features

- Brushless motor
- Forward / reverse rotation
- Single sleeve keyless chuck allows for easy bit installation/removal by one hand.
- Electric brake
- 2 mechanical gears.
- Variable speed control by trigger
- Best possible ergonomic handle for drill-driver applications.
- LED job light

CODE	ITEM
090045	18V COMBI CORDLESS DRILL

TECHNICAL SPECIFICATION	
DRILLING CAPACITIES	Steel 13mm / Wood 38mm / Masonry 13mm
CHUCK CAPACITY	1.5 - 13mm
VIBRATION K FACTOR	1.5 m/sec ²
VIBRATION	Drilling 8m/sec ²
BLOWS PER MINUTE (HI)/(LO)	0 - 28,500 ipm / 0 - 7,500 ipm
TORQUE SETTINGS	21 + drill
BATTERY TYPE / VOLTAGE	Lithium-ion / 18V
NET WEIGHT	1.5 - 1.8kg



ADD THESE EXTRAS

- ✓ Drill Bits up to 25mm
- ✓ SDS Chuck Adaptor



Brandon Hire Station
The UK's Tool and Equipment Hire Specialist



DRILLING, BREAKING, FIXING

CORDLESS TOOLS



CORDLESS SDS ROTARY HAMMER DRILL - 18V

A heavy duty cordless drill with variable speed and hammer controls to tackle the most demanding applications. With a one touch slide chuck for SDS+ bits, this drill is able to drill in concrete up to 24mm fast & efficiently. Supplied complete with 240V Battery Charger and 2 x Batteries.

Features

- An easy-to-grip handle ergonomically designed to give maximum power thrust that provides a sure and comfortable grip in any operation (overhead application drilling with palm-up or palm-down grip).
- 3 mode operation (Rotation + Hammering, Hammering Only, Rotation Only).
- Unique rubber joint construction suppresses the transmission of vibration to battery terminals, minimising battery failures such as terminal breakage or poor electrical contact.

CODE	ITEM
090050	CORDLESS SDS ROTARY HAMMER DRILL - 18V

TECHNICAL SPECIFICATION	
DRILLING CAPACITIES	Steel 13mm / Wood 27mm / Concrete 24mm
BATTERY TYPE	Lithium-ion
VIBRATION K FACTOR	1.5 m/sec ²
VIBRATION	Drilling 3.5m/sec ² / Hammer Drilling 13.5m/sec ² / Chiselling 10.5m/sec ²
BLOWS PER MINUTE	0 - 4700bpm
IMPACT ENERGY	2J
NO LOAD SPEED	0 - 950rpm
NET WEIGHT	3.3kg



ADD THESE EXTRAS

- ✓ Drill Bits up to 25mm
- ✓ Cordless dust extractor



MAKITA DX01 HEPA VACUUM ATTACHMENT

- The vacuum attachment captures concrete dust during drilling and is activated by the tool for operator convenience.
- Vacuum powered by separate motor to maintain tool drilling performance, and provide a two second delay to capture remaining concrete dust.
- Efficient HEPA filtration system capture fine concrete dust particles.




CODE	ITEM
090030	HEPA VACUUM ATTACHMENT

For use with Cordless SDS Hammer Drill 090050

TECHNICAL SPECIFICATION	
WEIGHT	3.6lbs / 1.6kg
DIMENSIONS	39 x 10 x 38mm
POWER SOURCE	Battery

Contact your local branch or call 0370 99 00 999



CORDLESS 18Vx2 ROTARY HAMMER / BREAKER

28mm SDS-PLUS Cordless Combination Hammer powered by two 18V Li-ion batteries. Supplied complete with 240V Battery Charger and 2 x Batteries.

Features

- Brushless motor
- Electric brake
- Variable speed control by trigger
- Constant speed control
- Forward / reverse rotation
- LED job light
- 3x Operating modes (RO/RH/HO)
- Torque limiter
- "Soft no load" function automatically reduces the motor speed during idling to suppress the vibration of the machine body.
- Anti vibration technology
- Powered by two 18V Li-ion batteries in series to supply energy to the powerful 36V DC motor drive system.

CODE	ITEM
090055	CORDLESS ROTARY HAMMER/BREAKER

TECHNICAL SPECIFICATION

DRILLING DIAMETER	Max in Concrete 28mm / Max in Steel 28mm / Max in Wood 32mm
BATTERY TYPE	Lithium-ion
BLOWS PER MINUTE	0 - 5,000bpm
NO LOAD SPEED	0 - 980rpm
NOISE K FACTOR	3dB(A)
VIBRATION	Hammer Drilling 9.0m/sec ² / Chiselling 8.5m/sec ²
VIBRATION K FACTOR	1.5m/sec ²
NET WEIGHT	4.8kg



CORDLESS MAGNETIC DRILL

Self-powered permanent magnet with 8,890N of holding force prevent accidental magnet deactivation for improved user protection and easy alignment. 2 speed gear box for optimised drilling speed with 400 and 690RPM's when using annular cutters or twist drill bits. Maximum drilling capacity of 38mm with use of annular cutters and 13mm straight shank twist drill bits.

Features

- 146 mm stroke length for usage of different accessories.
- Tool-free detachable handle for right or left hand usage.
- On board LED light to illuminate the work surface.
- Stroke length 146mm.
- Weight 13kg.

CODE	ITEM
090155	CORDLESS MAGNETIC DRILL 18V





DRILLING, BREAKING, FIXING

CORDLESS AUTO FEED SCREWDRIVER

Powered labour saving screwdriver for the installation of floor boarding, studded partitioning, decking, dry linings, roofing and cladding panels

Features

- Rigid aluminum casing.
- Stopper base with anti-tilt device for preventing screws from swaying.
- Rubber cap securely fixed to stopper base.
- Dust-proof construction for smooth sliding action.
- Foldable screw guide that keeps the screw strip tangle free.
- Silent clutch.

CODE	ITEM
120080	AUTO FEED SCREWDRIVER - CORDLESS

TECHNICAL SPECIFICATION

BATTERY TYPE / VOLTAGE	Lithium-ion / 18V
DRYWALL SCREW / MAX DRY WALL SCREW SIZE	75mm / 4 - 75mm
SCREW SIZE RANGE	45 to 75mm
NOISE SOUND PRESSURE / NOISE K FACTOR	76dB(A) / 3dB(A)
NO LOAD SPEED	4000rpm
VIBRATION K FACTOR / VIBRATION NO LOAD	1.5 m/sec ² / 2.5 m/sec ²
NET WEIGHT	2.1 - 3.2kg



ADD THESE EXTRAS

- ✓ Tool/Equipment Carry Case
- ✓ Impact Socket
- ✓ Machine Screws



CORDLESS TEK SCREWDRIVER

Suitable for self drilling TEK screws up to 6mm. With variable speed and a comfortable rubber moulded handle and belt clip, this is the ideal Cordless Screwdriver for industrial applications. Features include push driver technology to only engage the motor when pressure is applied, a lock on function for rapid multiple fixings and a LED light for added visibility.

CODE	ITEM
120072	TEK SCREWDRIVER - CORDLESS

TECHNICAL SPECIFICATION

BATTERY TYPE / VOLTAGE	Lithium-ion / 18V
HEX SOCKET SCREW	6mm
CAPACITY DRYWALL SCREW / SELF DRILLING SCREW	5 mm / 6mm
NOISE SOUND PRESSURE / NOISE K FACTOR	72dB(A) / 3dB(A)
NO LOAD SPEED	0 - 2500rpm
VIBRATION K FACTOR / VIBRATION NO LOAD	1.5 m/sec ² / 2.5 m/sec ²
NET WEIGHT	1.5 - 1.8kg



ADD THESE EXTRAS

- ✓ Impact Socket
- ✓ Machine Screws

INNOVATIVE TECHNOLOGY | ECO-FRIENDLY PRODUCTS | FREEDOM TO MOVE AROUND

Contact your local branch or call 0370 99 00 999



CORDLESS IMPACT DRIVER 18V

Developed for the tightening of self drilling screws & light duty machine screws.

Features

- Electric brake
- Variable speed control by trigger
- Forward / reverse rotation
- Twin LED job light
- Ergonomic soft grip
- Compact and lightweight design
- Equipped with Battery protection circuit: designed to protect the battery from damages due to overdischarge, high temperature or overload current.
- High rotation speed

CODE	ITEM
120086	CORDLESS IMPACT DRIVER 18V

TECHNICAL SPECIFICATION	
STANDARD BOLT / HIGH TENSILE BOLT	M5 - M16 / M5 - M12
COARSE THREAD (LENGTH)	22 - 125mm
MAX FASTENING TORQUE	165Nm
NO LOAD SPEED	0 - 2900rpm
BATTERY TYPE	Lithium-ion
VIBRATION FASTENING BOLT / K FACTOR	10.5m/sec ² / 1.5m/sec ²
IMPACTS PER MINUTE	0 - 3500ipm
WEIGHT	1.6kg



CORDLESS IMPACT WRENCH

Loosen stubborn nuts and bolts or re-tightening, this is a compact and lightweight cordless impact wrench, featuring maximum fastening torque of 230N.m (170ft.lbs). Not Recommended for Scaffolding Applications

Features

- Conveniently located push button for forward and reverse.
- LED job light with afterglow.
- 4 pole motor.
- High comfort grips.

CODE	ITEM
120006	CORDLESS IMPACT WRENCH

TECHNICAL SPECIFICATION	
IMPACTS	0 - 3200 ipm
NOISE SOUND PRESSURE / POWER	90 dB(A) / 101 dB(A)
NOISE K FACTOR	3 dB(A)
NO LOAD SPEED	0 - 2100 rpm
BATTERY TYPE / VOLTAGE	Lithium-ion / 18V
MAX TORQUE	230 Nm
VIBRATION: FASTENING BOLT / K FACTOR	9 m/sec ² / 1.5 m/sec ²
WEIGHT	1.5 - 1.8 kg





FIRST FIX NAILER

This is a cordless clipped head nailer developed for a wide range of framing applications. The main features are as follows: Using fuel gas as the power source to provide freedom from hoses and compressors. Equipped with LED indication lamp with battery power warning and trouble detection functions for convenience of operation and repair.

CODE	ITEM
120135	FIRST FIX NAILER

TECHNICAL SPECIFICATION	
BATTERY TYPE	7.2v Li-ion
CHARGING TIME	30 min
MAGAZINE ANGLE / CAPACITY	34° / 44
NAIL LENGTH / TYPE	50 - 90 mm / Clipped head
SHOTS PER BATTERY CHARGE / PER GAS CELL	4000 / 1200
NOISE SOUND PRESSURE / POWER / K FACTOR	89 dB(A) / 102 dB(A) / 3 dB(A)
VIBRATION: K FACTOR / NO LOAD	1.5 m/sec ² / 2.5 m/sec ²
WEIGHT	3.3 - 3.4 kg



ADD THESE EXTRAS

- ✓ Safety Goggles SEP 201
- ✓ Safety Kit 1
- ✓ Ear Defenders SEP 401
- ✓ Safety Kit 2

SECOND FIX NAILER

A gas driven cordless Brad nailer for 16Ga straight finish nails.

Features

- Best possible ergonomic handle for high maneuverability
- Nose tip designed to provide better visibility for quick and easy access to a desired driving point of workpiece
- LED job light illuminates workpiece brightly for efficient operation in dark place.
- LED indication lamp with battery power warning and trouble detection functions for convenience in operation and repair.

CODE	ITEM
120130	SECOND FIX NAILER

TECHNICAL SPECIFICATION	
BATTERY TYPE / VOLTAGE	Li-ion / 7.2v
CHARGING TIME	30 min
NAIL LENGTH/GAUGE	15-64mm/16Ga
WORK AMOUNT ON A SINGLE BATTERY CHARGE	4,000 shots
WORK AMOUNT PER FUEL CELL	1,000 shots
MAGAZINE CAPACITY	100
VIBRATION: K FACTOR / NO LOAD	1.5 m/sec ² / 3.5 m/sec ²
WEIGHT	2.2 kg





ANGLED CORDLESS BRAD NAILER

Cordless gas finish nailer for 20° angled brads 16-gauge from 32 to 64mm.

Features

- No-mark contact with sight lines and angled magazine aids accurate placement and prevents the need for additional fixings
- Quick charge lithium battery provides up to 10,000 shots per single charge (90 mins)
- Improved weight and balance allows user to manoeuvre into tight spaces and work fatigue-free
- Easy use tool free depth adjustment
- Reversible belt hook and on/off battery lock position
- Quick clear nose cover provides easy access in the unlikely event of a jam

CODE	ITEM
120131	ANGLED CORDLESS BRAD NAILER

TECHNICAL SPECIFICATION

BATTERY: CAPACITY / CHARGE TIME / TYPE	2.1 Ah / 90 Min / Lithium
WEIGHT / DIMENSIONS	2 kg / 303 x - x 90 mm
FASTENER LENGTH RANGE	32-64 mm
FIXINGS PER HOUR / MAGAZINE CAPACITY	1000 fixings / 100 fixings



POSITIVE PLACEMENT CORDLESS NAILER

Cordless gas positive placement nailer for paper strip hardened twist nails 35mm.

Features

- Fires up to 3 nails per second, faster than any hammer in the world
- Quick charge lithium battery provides up to 13,000 shots per single charge, 200 in just 2 minutes
- Incredible cold weather performance allows users to work down to -15°C
- Premium gas technology lithium nailer with intelligent power saving technology, increasing battery life up to 25%
- One touch LED indicator shows remaining power and fuel
- Easy to use tool free adjustable depth of drive

CODE	ITEM
120138	POSITIVE PLACEMENT CORDLESS NAILER

TECHNICAL SPECIFICATION

BATTERY: CAPACITY / CHARGE TIME / TYPE	2.1 Ah / 90 Min / Lithium
WEIGHT / DIMENSIONS	4kg / 384 x - x 127 mm
FASTENER LENGTH RANGE	35 mm
FIXINGS PER HOUR / MAGAZINE CAPACITY	1000 fixings / 29 fixings



Brandon Hire Station
The UK's Tool and Equipment Hire Specialist

brandonhirestation.com



Only
60
Minutes
to Charge

Lasts up to
4
Hours



HYBRID INFRARED HEATER

This hybrid infrared heater can run on both mains power supply and a lithium battery which charges in just 60 minutes and lasts for up to 4 hours. The heater also comes with a built in anti-tilt switch to be sure that if the heater is accidentally knocked over, the power will cut out.

Features

- Works with a cord and tension (110 - 240V) or cordless with lithium battery (14V).
- Low noise.
- No air flow.
- Overheat thermostat.
- Suction filter and inlet filter.
- 14V only the highest electrical safety.
- Equipped with lithium battery BAT6.
- Standard oil level indicator.
- ILME socket for remote thermostat: analog or digital.

TECHNICAL SPECIFICATION

TANK CAPACITY	11l
FUEL CONSUMPTION	1.35kg/H
ELECTRIC POWER / RATED CURRENT	2kw / 1A
DIMENSIONS (L x W x H)	560 x 345 x 575 mm
WEIGHT	19kg



Contact your local branch or call 0370 99 00 999



X-BABY 2 x 70W LED LIGHTING TOWER



The X-BABY has been created to be rugged, long lasting and safe. It is the best solution to your needs and guarantees 750 sqm of illuminated area. Plus battery technology that allows to work with zero emission.

- LED technology.
- Multi-directionally adjustable and tiltable floodlights.
- One section galvanized telescopic vertical mast.
- Maximum mast height 2m.
- Manual lifting system.
- Very compact dimensions for easy handling & transportability.
- Lightweight for improved manoeuvrability.
- Working time 8hrs.
- Central lifting eye for effective handling

TECHNICAL SPECIFICATION

DIMENSIONS (LxWxH)	648 x 620 x 1680mm
ROTATION / FLOODLIGHTS	340° / 2x70W
IP LEVEL / MAX WIND SPEED	65 / 30km/h
MAXIMUM HEIGHT / RUNNING TIME	2m / 8hrs
CHARGING TIME WITH FLOODLIGHTS OFF	± 10hrs
ILLUMINATED AREA	750sqm
WEIGHT	38kg

X-POLE SOLAR 1 x 50W LED LIGHTING TOWER



The X-POLE a standalone solar light, very simple to use, with no separate battery pack required and with no complicated wiring or settings. It is the best solution to your needs and automatically will switch on when the sun sets and switch off when the sun rises. When there is no one around, it will dim itself to improve power efficiency and when someone walk around it will increase its light to maximum power.

- In house innovated controller that can regulate power output.
- LiFe PO4 lithium-ion battery pack.
- High efficiency solar panel protected against all weather conditions.
- High Luminous LED head complete with new light distribution lens design.
- Five sections manual vertical tower.
- 5,5m max height.

TECHNICAL SPECIFICATION

DIMENSIONS (LxWxH)	2360 x 1500 x 600mm
POWER (EACH) / FLOODLIGHTS NUMBER	50W / 1
IP LEVEL / ILLUMINATED AREA (5 LUX MIN.)	65 / 400sqm
SOLAR PANEL POWER	130W
SOLAR PANEL MODE: MIN.WORKING FULL BRIGHT	11.5h
SOLAR PANEL MODE: MIN.WORKING DIM MODE	46h
MAXIMUM HEIGHT / WIND SPEED	5.5m / 80km/h
WEIGHT	400kg





GALAXY PRO RECHARGEABLE LED PORTABLE WORKLIGHT

The Galaxy Pro is designed using the toughest composite materials for use in industrial applications where it is essential to have robust products. Utilising the very latest LED technology the Galaxy Pro produces a very impressive 3500 Lumens output and giving an evenly spread of light projected to 30 metres.

Features

- 3,500 Lumens
- 30 metre beam
- Runs up to 24 hours
- Rechargeable lithium battery - 7.4V 13.2Ah
- Very robust housing
- Impact resistant to 1 metre
- Lightweight and weatherproof
- Dimmable
- Battery charging indicator + low battery warning



CODE	ITEM
300033	PORTABLE LED WORKLIGHT

TECHNICAL SPECIFICATION	
LUMENS	3500
BEAM DISTANCE	30m beam
BATTERY	13.2 Ah Li-ion
RUN TIME	4 - 24hrs runtime
IMPACT RESISTANCE	1m impact resistance



Contact your local branch or call 0370 99 00 999



M18™ LED STAND LIGHT

Features


- TRUEVIEW™ high definition lighting
- Twelve high performance LEDs provide 2000 Lumens on high light output which is brighter than 250 Watt halogen
- Impact resistant adjustable head with highly durable polycarbonate lens can be rotated 230° vertically and pivoted 240° horizontally
- Protective guard secures the head and lens when the light is collapsed for storage or transport
- Extendable mast which reaches from 1.10 m to over 2.20 m to light up work spaces from top without casting shadows
- IP54 - protected from dust and splashing water
- Compact footprint with low center of gravity and impact resistant reinforced nylon legs to protect against abusive jobsite conditions
- Carry handles on two positions for easy one handed transport: weight is evenly balanced when compressed
- Low battery indicator - light flashes when battery pack is low

TECHNICAL SPECIFICATION

BATTERY TYPE	Li-Ion
MAX. LIGHT OUTPUT HIGH/MEDIUM/LOW/STROBE (LUMENS)	2000 / 1300 / 850 / -
MAX. RUN TIME WITH M18 B5 BATTERY (hrs)	4 / 6 / 10 / -
VOLTAGE (V)	18
WEIGHT WITH BATTERY PACK (kg)	7.3

CODE	ITEM
300019	M18™ LED STAND LIGHT





M18™ HIGH PERFORMANCE LED AREA LIGHT

Features

- TRUEVIEW™ high definition lighting
- Twelve high performance LEDs and 3 light settings provide up to 3000 Lumens on high - up to 30% brighter than a 500 Watt halogen light
- 240° rotatable light head and integrated key holes for horizontal and vertical hanging
- Impact resistant polycarbonate lens and durable roll cage to protect the light from rough jobsite conditions
- Dual power source, powered by either M18™ REDLITHIUM™ battery packs or by 2.5 m included extension cord
- Easy one-handed transport with built-in carry handles
- Low battery indicator, light flashes when battery pack is low on charge
- Flexible battery system: works with all MILWAUKEE® M18™ batteries

TECHNICAL SPECIFICATION

BATTERY TYPE	Li-ion
MAX. LIGHT OUTPUT HIGH/MEDIUM/LOW/STROBE (LUMENS)	3000 / 1500 / 650 / -
MAX. RUN TIME WITH M18 B5 BATTERY (hrs)	2 / 4 / 9 / -
VOLTAGE (V)	18
WEIGHT WITH BATTERY PACK (kg)	3.4

CODE	ITEM
300020	M18™ HIGH PERFORMANCE LED AREA LIGHT



Contact your local branch or call 0370 99 00 999



CORDLESS 18V CUTTERS/ ANGLE GRINDERS

Robust, lightweight and versatile machines for cutting masonry or steel, mortar raking, facing work and rust removal.

Features

- Brushless motor
- Electronic current limiter for overload protection
- Soft start
- Anti-restart function
- Electric brake
- Active Feedback Sensing Technology – shuts down the tool to protect the user if the rotation speed suddenly slows down.
- Automatic Torque Drive Technology – automatically changes the cutting speed according to the load condition.
- Soft grip handle
- Lock of switching
- Battery indicators



CODE	ITEM
210026	115mm CORDLESS GRINDER
210030	125mm CORDLESS GRINDER



TECHNICAL SPECIFICATION

INPUT VOLTAGE / BATTERY TYPE	36V (2 x18V) / Li-Ion
NO LOAD SPEED	6000rpm
NOISE SOUND PRESSURE / NOISE SOUND POWER	88dB(A) / 99dB(A)
VIBRATION CUTTING / SANDING	7.5m/s ² / 2.5m/s ²
WEIGHT	8.0kg

ADD THESE EXTRAS

- ✓ Glove Standard Rigger SEP101
- ✓ Safety Goggles SEP 201
- ✓ Ear Defenders SEP 401
- ✓ Dust Mask FFP3 SEP 331
- ✓ Cutting Discs 100-230mm



Brandon Hire Station
The UK's Tool and Equipment Hire Specialist

brandonhirestation.com



INTRODUCING THE MX FUEL RANGE



25kg CLASS 28mm HEX DEMOLITION HAMMER

Features

- Hard hitting with low vibration
- Hassle free no cords or petrol
- 12m of breaking per charge 200mm deep x 300 mm wide trench



350mm CUT OFF SAW

Features

- Full 350mm cut capacity
- Fastest cuts from start to finish
- No petrol headaches



150mm DIAMOND CORE DRILL

Features

- Core with confidence
- Core up to 152 mm holes
- More productivity due to less set up time



AVAILABLE TO HIRE FROM Brandon Hire Station

Contact your local branch or call 0370 99 00 999



CORDLESS CUT OFF SAW - 230mm

For cutting roof tiles, bricks, paving blocks & metal, this cordless disc cutter can be operated indoors & outdoors. Features include low-maintenance motor technology, a magnesium blade guard, ergonomic wrap around handle, spindle lock mechanism, the STIHL electric motor (EC) and an electronic coasting break. Cutting neatly and swiftly up to 70mm deep, the emission-free cordless technology benefits both the operator and environment: No starter, no choke, no carburettor and no rope to pull. A single charge should run the saw continuously for about 15 minutes (about 30 to 50 bricks or 30 concrete blocks).

Other models include the Husqvarna K 535i - a lightweight battery power cutter with low vibrations and user-friendly ergonomics. The excellent power-to-weight ratio makes it a versatile addition for lighter land or hardscaping jobs and perfect for quick and efficient cuts. Suitable for concrete garden plates, granite, roof and floor tiles. K 535i is adaptable for wet and dry cutting. Fits with Husqvarna BLi200/300 batteries. A Makita DCE090 model is also available - see specification table below.

CODE	ITEM
210048	CORDLESS CUT OFF SAW - 230mm



TECHNICAL SPECIFICATION	Based On: Stihl TSA 230 Cutter	Based On: Husqvarna K 535i Cutter	Based On: Makita DCE090 Cutter
BATTERY TECHNOLOGY	36V Lithium-Ion	36V Lithium-Ion	36V Lithium-Ion
MAXIMUM CUTTING DEPTH	70mm	76mm	88mm
CUTTING WHEEL	230mm	230mm	230mm
WEIGH	3.9kg (without battery)	-	5.6kg - 6.3kg
VIBRATION LEVELS LEFT/RIGHT	3.5/3.5m/s ²	2.1/2.5 m/s ²	-
SOUND POWER LEVEL / RPM	114dB(A) / -	111.5 dB(A) / -	- / 6,600





18V STEEL REBAR CUTTER

18V Lithium-ion powered Rebar Cutter for drastically increased cutting power and speed. Designed with ergonomic soft grip.

Features

- Adjustable stopper secures the rebar to the cutting blade to assist in smooth cutting.
- Cutting head accommodates different cutting positions by rotating 360°.
- Can deliver up to 4,000 cuts before the blade needs to be replaced.
- Comfortable rubberised soft grip on the ergonomic pistol grip handle.
- Provides spark-free cutting of rebar and steel rod.



CODE	ITEM
220234	STEEL REBAR CUTTER

TECHNICAL SPECIFICATION

BATTERY TYPE	18V Lithium-ion
MAX. CUTTING CAPACITY GRADE 40-60	20 mm
CUTTING SPEED (METAL)	6.5 sec
OVERALL LENGTH	412 mm
NOISE SOUND PRESSURE	80.5 dB(A)
NOISE SOUND POWER	90.1 dB(A)
VIBRATION	2.5 m/sec ²
WEIGHT	11.1 - 11.2 kg



CORDLESS RECIPROCATING SAW

Designed for cutting through a wide range of materials including wood, plastic and metal. Ideal for those jobs where you do not have a power source nearby, the saw is powered by a twin Lithium Ion battery technology system and has a charging time of less than half an hour, perfect for any type of usage. With twin soft-rubber covered grips on both the handle and gear housing makes this saw very user friendly and ergonomically sound. Supplied with 240V Battery Charger & 2 x 18V Batteries.

Features

- Tool-less blade change.
- Trigger switch with lock-off lever
- Electric brake
- Variable speed
- Ergonomically designed handle
- Newly designed crank mechanism for higher efficiency
- High power



CODE	ITEM
350080	RECIPROCATING SAW - CORDLESS

TECHNICAL SPECIFICATION

BATTERY TYPE / VOLTAGE	Lithium-ion / 18V
CAPACITY IN WOOD / MILD STEEL PIPE	255mm / 130mm
STROKES PER MINUTE	0 - 2,800spm
STROKE LENGTH	32mm / Lithium-ion
VIBRATION: CUTTING WOOD / CHIPBOARD	12.5 m/sec ² / 13.0 m/sec ²
VIBRATION K FACTOR	1.5 m/sec ²
NET WEIGHT	3.5 - 3.8kg





CORDLESS JIGSAW

The cordless jigsaw offers portability and a high degree of usability for cutting plastics, wood and metal. The new generation of batteries allow you to charge them up without them having been fully drained, safely in 22 minutes.

CODE	ITEM
350090	JIGSAW - CORDLESS

TECHNICAL SPECIFICATION

MAX CUT DEPTH WOOD	135mm
MAX CUT DEPTH STEEL	10mm
STROKES PER MINUTE	800 - 3,500spm
STROKE LENGTH	26mm
NET WEIGHT	2.6kg



ADD THESE EXTRAS

- ✓ Retail Safety Kit
- ✓ Jigsaw Blades

CORDLESS CIRCULAR SAW

For accurate fast cuts in all types of wood, MDF, plywood and blockboard. Easily adjusted sole plate. Riving knife and guide fence. Ideal for DIY use.

CODE	ITEM
350055	CORDLESS CIRCULAR SAW


TECHNICAL SPECIFICATION

DEPTH OF CUT AT 45°/90°	41mm @ 45°
BLADE DIA. / BORE DIA.	165mm / 20mm
NO LOAD SPEED	5000rpm
INPUT WATTAGE	Lithium-ion
NET WEIGHT	3.3kg



ADD THESE EXTRAS

- ✓ Gloves
- ✓ Safety Kit
- ✓ Safety Goggles
- ✓ Saw Blades
- ✓ Dust Mask





TWIN 18V CORDLESS

MAKITA'S TWIN 18V MACHINES DELIVER MORE POWER AND RUNTIME WITHOUT LEAVING THE 18V LITHIUM-ION PLATFORM. 2X 18V BATTERIES WILL POWER THE 36V DC MOTOR.

The 36V DC motor delivers more power and run time without leaving the 18V Lithium-ion platform.

When different capacity batteries are used together (for example, 4.0Ah BL1840 and 3.0Ah BL1830, or fully charged BL1830 and 70% charged BL1830), the machine stops when the battery with less capacity is empty.



Makita

CORDLESS POWER PLANE - 82mm

Gradually planes wood to a smooth finish or you can plane wood to size. Fitted with fully adjustable blades and shaving/dust bag for minimum fuss.

Features

- 2-blade cutter head with double edge carbide blades for added performance and smooth finish
- Click depth adjustment knob with easy-to-read scale
- Spring-loaded stand elevates the base to protect the blades and workpiece
- Precision machined aluminum base for planing accuracy
- Electronic brake.
- Easy blade setting system for fast blade installation

CODE	ITEM
350137	CORDLESS POWER PLANE

TECHNICAL SPECIFICATION	
BATTERY TYPE / VOLTAGE	Li-ion / 18V
NO LOAD SPEED	14000rpm
VIBRATION K FACTOR / PLANING SOFTWOOD	1.5 m/sec ² / 4.5 m/sec ²
PLANING DEPTH / WIDTH	2.0mm / 82mm
MAX REBATE DEPTH	9.0mm
NET WEIGHT	3.4kg



Contact your local branch or call 0370 99 00 999

WOODWORKING



CONSTRUCTION DUST

OVER 500 WORKERS DIE EVERY YEAR

TYPES OF DUST

- **SILICA DUST** – Created when working on silica containing materials like concrete, mortar and sandstone (also known as respirable crystalline silica or RCS).
- **WOOD DUST** – Created when working on softwood, hardwood and wood-based products like MDF and plywood.
- **LOWER TOXICITY DUST** – Created when working on materials containing very little or no silica. The most common include gypsum (e.g. in plasterboard), limestone, marble and dolomite.

HEALTH RISKS

Anyone who breathes in these dusts should know the damage they can do to the lungs and airways. The main dust-related diseases affecting construction workers are:

- **LUNG CANCER**
- **COPD** (Chronic Obstructive Pulmonary Disease)
- **SILICOSIS**
- **ASTHMA**

STAY PROTECTED AGAINST DUST

CORDLESS MITRE SAW - 190mm

Suitable for those jobs which require cutting accurate bevels and mitres, this cordless saw is ideal for professional shop fitters and joiners.

Features

- Powered by two 18V Li-ion batteries in series to supply energy to the powerful 36V DC motor drive system
- Brushless motor
- Double Sliding Mechanism
- Soft start
- Easy to Grip handle with anti-slip elastomer surface
- LED indicator panel for battery fuel and indication of automatic speed control
- Electric brake
- Equipped with Battery protection circuit: designed to protect the battery from damages due to overdischarge, high temperature or overload current
- Cuts up to 300mm in a single pass



CODE	ITEM
350021	CORDLESS MITRE SAW - 190mm

TECHNICAL SPECIFICATION	
BLADE DIAMETER / BLADE BORE DIAMETER	190mm / 20mm
NO LOAD SPEED	5700rpm
MAX BEVEL RANGE / MITRE RANGE	45 - 5° / 47 - 57°
MAX CUTTING CAPACITY AT 45°	52 x 300mm
WEIGHT	13.0 - 13.5kg



Brandon Hire Station
The UK's Tool and Equipment Hire Specialist

brandonhirestation.com



TWIN 18V BRUSHLESS - 305mm SLIDE COMPOUND MITRE SAW LXT

This is a 305mm (12") cordless slide compound mitre saw powered by two 18V Li-ion batteries in series. Specifically designed to suit the requirements of carpenters, joiners, shopfitters and builders, with improved dust management to reduce the risk from harmful dusts.

Features

- Brushless motor built in laser guide.
- Auto-Start Wireless System (AWS) - connects to compatible dust extractors with Bluetooth. The dust extractor automatically runs while the switch is on.
- Electric brake.
- Soft start.
- Rail-forward design: allows the rear of the machine to be placed close to the wall.
- One-touch sliding lock.
- Single sliding system enables smooth operation to produce superior cuts.

New design enables the unit to be operated close to a wall.

TECHNICAL SPECIFICATION

MAX CUTTING CAPACITY	92 x 382 mm
BATTERY TYPE	Lithium-ion
BLADE DIAMETER	305 mm
MAX MITRE RANGE / BEVEL RANGE	60 - 60° / 48 - 48°
DIMENSIONS	898 x 690 x 725 mm
NOISE SOUND PRESSURE	95 dB(A)
NOISE SOUND POWER	103 dB(A)
NO LOAD SPEED	4400 rpm
VIBRATION	2.5 m/sec ²
WEIGHT	30.7 - 31.3 kg

CODE	ITEM
350021	CORDLESS MITRE SAW



ALSO AVAILABLE:

TWIN 18V BRUSHLESS - 260mm SLIDE COMPOUND MITRE SAW LXT

A smaller version of the 305mm mitre saw. This 260mm (10-1/4") cordless slide compound mitre saw is powered by two 18V Li-ion batteries in series.





HURRICANE E-BATTERY POWERED COLD WATER PRESSURE WASHER

Ideal for facilities management companies for quiet cleaning at hospitals, schools & public areas. This self-contained unit is powered by 2 x 100Amp Hour lithium ion batteries coupled to a DC motor which will provide up to 120mins of continuous cleaning before re-charging is required. The Demon Hurricane E produces up to 100 bar at 11ltrs a min which is suitable for most cleaning problems, with little noise and no emissions that can be used at any time of the day or night to clean effectively.

Features

- Lithium ION Batteries
- Zero emissions
- Sound power level 68dB (a)
- Charge time 10 hours from full discharge (26 amp charger)
- Optional upgrade to 40 amp charger reducing charging time to 5 hours
- DC Motors are 95% efficient
- Petrol and diesel engines are 20% efficient
- 9 metre hose as standard

TECHNICAL SPECIFICATION

NOZZLE SIZE	15045
WATER FLOW (AT FULL PRESSURE)	11 Litres/min
MOTOR	24 volt DC
BATTERY	2 x 100 amp/hour
WEIGHT	88kg
L x W x H (MAX)	680 x 640 x 1080mm



LOG IN FOR LATEST PRICES

TECHNICAL DATA

ADDITIONAL INFORMATION

DOWNLOADABLE REFERENCE PDFS

HOW TO VIDEOS

ON-LINE ORDERING
brandonhirestation.com



Brandon Hire Station
 The UK's Tool and Equipment Hire Specialist

brandonhirestation.com



Easy connectivity via the AWS system to an 'L' Class vacuum for improved dust management.

Easy variable speed control to suit the material and compound being processed.




18V BRUSHLESS DRYWALL SANDER LXT

This is a 225mm cordless drywall sander equipped with BL motor and powered by 18V LXT battery. Specifically designed to meet the requirements of the drylining companies and plasterer.

Features

- Brushless motor.
- Variable speed control dial.
- Soft start.
- Constant speed control.
- Auto-Start Wireless System (AWS) - connects to compatible dust extractors with Bluetooth. The dust extractor automatically runs while the switch is on.
- Telescopic pole enables user to match the pole length to the application.
- Extension handle available as an optional accessory.
- Lock on function.
- Hook and loop type abrasive paper can be used.



TECHNICAL SPECIFICATION

BATTERY TYPE	18V Lithium-ion
DIMENSIONS	1100 x 259 x 273 mm
NO LOAD SPEED	1,000 - 1,800 rpm
ABRASIVE DISC	225 mm
PAD DIAMETER	210 mm
WEIGHT	4.5 - 5.7 kg
VIBRATION	2.5 m/sec ²
NOISE SOUND PRESSURE	75 dB(A)

FOR USE ONLY WITH THE CORDLESS DRYWALL SANDER

TWIN 18V CORDLESS DUST EXTRACTOR 8L BL LXT

A cordless dust extractor with Auto-start Wireless System (AWS), powered by two 18V Li-ion batteries in series.

Class L - Removes 99.0% of dust with limit value for occupational exposure >1.0mg/m³
Suitable for processes involving mica, china clay, gypsum.



Contact your local branch or call 0370 99 00 999



Husqvarna Battery Series

Less fumes, low noise or a whole lot of power? With Husqvarna Battery Series you do not have to choose. The machines are as powerful as their petrol-fuelled equivalents - but with all the benefits that come with battery engines.



ONE BATTERY

Our battery system can be used on all Battery Series products making them extremely flexible. The batteries have features which prolong lifespan and allow them to be run and recharged continuously. Always ready to use.



HIGH PERFORMANCE

Powerful compact long-life Husqvarna developed motors with low weight offer instant and equal torque no matter what the operating speed. This results in performance which exceeds petrol equivalent machines. Our brushless motors also offer 90% efficiency for maximum runtime.



ALL WEATHER USE

Our 400 & 500 series products can be used in the most demanding weather conditions.



COMFORTABLE USE

With less moving parts our products offer lower levels of vibration when compared to equivalent petrol machines. This allows the machines to be used for longer periods maximising work output whilst increasing comfort.



PROFESSIONAL DURABILITY

Using our vast experience of what is required to meet the needs of professional use. All of our 500 series battery products are put through the same duration lab test procedures as our 500 Series 2-stroke petrol products.



SAVES YOU MONEY

Costing as little as 4p to recharge a battery. The machines have a much lower cost to operate compared to petrol equivalents. The benefits are even higher when used professionally or full time.



EASY TO USE

Low weight and excellent balance make the products extremely comfortable to handle. The machines are switched ON and OFF at the push of a button via the unique keypad making them effortless to start and also protected against accidental activation.



HEALTHIER WORK

With no direct emissions our battery products are clean and pleasant to use. This is especially beneficial when working in confined spaces and allows safe use in covered and indoor areas.



LOW NOISE

Products are up to 18dB(A) lower noise than petrol equivalents. A reduction of 3dB(A) is seen as half the noise level. This makes for a comfortable work environment and low disturbance for others, enabling the possibility to work in noise sensitive areas.



FLEET SERVICES

Husqvarna Fleet Services is fully compatible with the Husqvarna Battery Series. Fleet Services allows landscapers and contractors to take full control of their operations. Giving insights in to their daily business allowing a more profitable & efficient operation.





HUSQVARNA BATTERY CHAINSAW - 535iXP

For professionally oriented users who want a lightweight, high performance chainsaw. Perfect for carpenters, contractors, tree care workers and olive farmers. Features excellent ergonomics, high performance and high chainspeed.

CODE	ITEM
140107	CORDLESS CHAINSAW

TECHNICAL SPECIFICATION

BATTERY VOLTAGE / TYPE	36V / Lithium Ion
RECOMMENDED. BAR LENGTH, MAX/MIN	14"/10"
WEIGHT WITHOUT BATTERY & CUTTING EQUIPMENT	2.6kg
SOUND PRESSURE LEVEL AT OPERATORS EAR	93 dB(A)
EQUIVALENT VIBRATION LEVEL (AHV, EQ) FRONT / REAR HANDLE	2.5m/s ² / 2.8m/s ²



PLEASE NOTE: MACHINE, CHARGER & BATTERIES ARE HIRED OUT SEPARATELY.

CODE	ITEM
140120	HUSQVARNA F&G BATTERY
140121	HUSQVARNA F&G BACKPACK BATTERY
140122	HUSQVARNA F&G BATTERY CHARGER
140123	HUSQVARNA F&G 12V BATTERY CHARGER

HUSQVARNA ADJUSTABLE BATTERY HEDGE TRIMMER - 520iHD60



The Husqvarna hedge trimmer is a lightweight and quiet cordless hedge trimmer for commercial use with a 60cm long double-sided cutter bar. The new proprietary motor and powerful rechargeable battery will allow you to maximise your working time. The pivoting rear handle on this adjustable hedge trimmer makes work easier when cutting both vertically and horizontally.

- Li-ion power
- Intuitive key pad
- Adjustable rear handle

CODE	ITEM
140137	CORDLESS HEDGE TRIMMER

TECHNICAL SPECIFICATION

BATTERY VOLTAGE	36V
KNIFE LENGTH / TEETH OPENING	60cm / 32mm
WEIGHT WITHOUT BATTERY / WITH BATTERY	3.8kg / 5.1kg
SOUND PRESSURE LEVEL AT OPERATORS EAR	78 dB(A)
EQUIVALENT VIBRATION LEVEL (AHV, EQ) FRONT / REAR HANDLE	1.6 m/s ² / 2.5 m/s ²



Contact your local branch or call 0370 99 00 999



HUSQVARNA PROFESSIONAL TELESCOPIC BATTERY POLESAW - 530iPT5



Telescopic battery pole saw for professionals, with 5m telescopic reach and performance that surpasses petrol equivalents. Maximum performance and durability with low weight, excellent ergonomics and quiet operation for use in any location at any time of day.

CODE	ITEM
140108	CORDLESS POLESAW - TELESCOPIC



HUSQVARNA BATTERY LEAF BLOWER - 525iB

Well-balanced, comfortable and efficient professional battery blower. The machine's low noise level allows you to work in the most public of settings. An easy tap on the keypad starts the machine instantly at all times and the cruise control means full focus on blowing leaves and debris away. The blower also has a boost power mode that gives you a little extra power when needed.

CODE	ITEM
140232	CORDLESS LEAF BLOWER

TECHNICAL SPECIFICATION

BATTERY VOLTAGE	36V
BATTERY TYPE	Li-Ion
WEIGHT WITHOUT BATTERY & CUTTING EQUIP.	5kg
RECOMMENDED BAR LENGTH, MIN-MAX	25-30cm
CHAIN SPEED AT MAX POWER	20m/s
LENGTH, EXTENDED, INCLUDING CUTTING EQUIPMENT	400cm



TECHNICAL SPECIFICATION

BATTERY VOLTAGE / BATTERY TYPE	36V / Lithium Ion
BATTERY RUNTIME (FREE RUN) WITH SAVE ACTIVATED	21 min
SOUND PRESSURE LEVEL AT OPERATORS EAR	82 db(A)
AIR FLOW IN HOUSING / AIR FLOW IN PIPE	12.8 m³/min / 11.6 m³/min
AIR SPEED / AIR SPEED (ROUND NOZZLE)	48m/s / 48m/s



PLEASE NOTE: MACHINE, CHARGER & BATTERIES ARE HIRED OUT SEPARATELY.

CODE	ITEM
140120	HUSQVARNA F&G BATTERY
140121	HUSQVARNA F&G BACKPACK BATTERY
140122	HUSQVARNA F&G BATTERY CHARGER
140123	HUSQVARNA F&G 12V BATTERY CHARGER





HUSQVARNA BATTERY BRUSH CUTTER - 520iRX



A lightweight and high performance bullhorn trimmer for professional users. Perfect for gardeners, landscapers and contractors. Features excellent ergonomics and balance, 2-way rotation trimmer head and long-lasting brushless motor. Comfortable harness included.

CODE	ITEM
140217	CORDLESS BRUSH CUTTER

TECHNICAL SPECIFICATION	
BATTERY VOLTAGE / TYPE	36V / Lithium Ion
WEIGHT WITHOUT BATTERY	3.8kg
OEM HARNESS BALANCE	35B



HUSQVARNA PROFESSIONAL BATTERY GRASS TRIMMER - 520iLX



A lightweight and high performance trimmer for professionally oriented users. Perfect for gardeners, landscapers and contractors. Features excellent ergonomics and balance, 2-way rotation trimmer head and long-lasting brushless motor.

CODE	ITEM
140216	CORDLESS GRASS TRIMMER

TECHNICAL SPECIFICATION	
BATTERY VOLTAGE	36V
BATTERY TYPE	Li-Ion
WEIGHT WITHOUT BATTERY	3kg
CUTTING WIDTH	40cm



PLEASE NOTE: MACHINE, CHARGER & BATTERIES ARE HIRED OUT SEPARATELY.

CODE	ITEM
140120	HUSQVARNA F&G BATTERY
140121	HUSQVARNA F&G BACKPACK BATTERY
140122	HUSQVARNA F&G BATTERY CHARGER
140123	HUSQVARNA F&G 12V BATTERY CHARGER



TWIN 18V BRUSHLESS SPLIT-SHAFT LXT MULTI FUNCTION POWER HEAD



This Brushless Split-Shaft is a cordless multi function power head powered by 2x 18V Li-ion batteries.

- Powered by two 18V Li-ion batteries in series to supply energy to the powerful 36V DC motor drive system.
- Brushless motor.
- On/Off button with Auto-Off (no operation within one minute: automatically power off).
- Loop handle.
- Overload protection.
- Electric brake.
- Variable speed control.
- Soft start.
- Constant speed control.
- Reverse switch for grass clipping removal.
- Active Feedback Sensing Technology (AFT): Shuts down the tool to protect the user if the rotation speed suddenly slows down.
- Multi-tool system – versatile optional attachments for a range of applications.
- Tool-less installation of attachments.

CODE	ITEM
140195	TWIN 18V BRUSHLESS SPLIT-SHAFT LXT
140196	HEDGE TRIMMER ATTACHMENT
140197	BRUSH CUTTER ATTACHMENT
140198	POLE SAW ATTACHMENT

ATTACHMENTS

HEDGE TRIMMER
ATTACHMENT



BRUSH CUTTER
ATTACHMENT



POLE SAW
ATTACHMENT



TECHNICAL SPECIFICATION

NO LOAD SPEED (LO)	0 - 5,700 rpm
NO LOAD SPEED (MED)	0 - 8,200 rpm
NO LOAD SPEED (HI)	0 - 9,700 rpm
BATTERY TYPE	Lithium-ion
VOLTAGE	36V (18V x2)
MAXIMUM OUTPUT	600W
NET WEIGHT	4.1 - 8.7kg
BODY ONLY MACHINE	Yes





TWIN 18V BRUSHLESS BLOWER LXT

This Brushless Blower has been developed as the most powerful cordless blower.

- Powered by two 18V Li-ion batteries in series to supply energy to the powerful 36V DC motor drive system.
- Dual battery fuel gauge.
- High air volume and speed delivered by brushless motor.
- Longer run time thanks to brushless motor.
- 6-stage air volume/velocity settings by dial with variable speed control by trigger.
- Lock on function, with button operable from either side of handle.
- 3-stage telescopic long nozzle with adjustment range of 100mm.
- Soft start.
- Constant speed control.
- Best grip to frame angle provides optimum nozzle to ground angle for efficient sweeping operation.
- Lightweight & compact for single handed operation.
- Low noise emissions.



TECHNICAL SPECIFICATION

NO LOAD SPEED	11,400 rpm - 21,500 rpm
BATTERY TYPE	Lithium-ion
VOLTAGE	36V (18V x2)
MAX AIR VOLUME	6.9 - 13.4 m ³ /min
MAX. AIR VELOCITY	27 - 54 m/sec
NET WEIGHT	3.5 - 4.2 kg
RUN TIME 2x 3.0Ah	42 mins
RUN TIME 2x 4.0Ah	58 mins
RUN TIME 2x 5.0Ah	73 mins

CODE	ITEM
140233	TWIN 18V BRUSHLESS BLOWER LXT





VAC SLAB LIFTER

Flexible and powerful hand operated slab lifter allows for precision positioning of concrete slabs. Powered by a powerful 12V battery that should give approx. 8 hour use.

CODE	ITEM
360440	VAC SLAB LIFTER
-	OPTIONAL VACUUM LIFTER WHEEL KIT VPH-RS

TECHNICAL SPECIFICATION

S.W.L.	150kg
BASE SIZE	440 x 240mm
WEIGHT	15kg



POWERED STAIR CLIMBER

A battery operated truck with triple wheels or caterpillar track. Modern, lightweight and a fast climbing speed.

CODE	ITEM
360185	POWERED STAIR CLIMBER

TECHNICAL SPECIFICATION

CAPACITY	Up to 310kg
DIMENSIONS (WxH)	1630 x 590mm
SPEED	8 – 18 steps/min





BRANCH QUICK FINDER

We have massive stocks available via our extensive branch network, all at highly competitive hire rates with hire periods to suit you and equipment readily available nationwide.

ABERDEEN (308) AB11 5AN
Tel 01224 224 290
Aberdeen.MillerStreet@brandonhirestation.com

ABERYSTWYTH (584) SY23 3JQ
Tel 01970 639 970
Aberystwyth@brandonhirestation.com

ALDERSHOT (85) GU12 4DN
Tel 01252 311 284
Aldershot@brandonhirestation.com

ALFRETON (508) DE55 7GR
Tel 01773 833 061
Alfreton@brandonhirestation.com

ANDOVER (75) SP10 3AS
Tel 01264 351 601
Andover@brandonhirestation.com

ANGLESEY - GAERWEN (253) LL60 6DN
Tel 01248 423 110
Anglesey.Gaerwen@brandonhirestation.com

ASHFORD (212) TN24 0AA
Tel 01233 636 622
Ashford@brandonhirestation.com

AVONMOUTH (9) BS11 9FB
Tel 0117 982 3484
Avonmouth@brandonhirestation.com

BARNSELY (111) S70 1TW
Tel 01226 287 099
Barnsley@brandonhirestation.com

BARNSTAPLE (66) EX32 8PA
Tel 01271 378 973
Barnstaple@brandonhirestation.com

BASINGSTOKE (76) RG21 6XE
Tel 01256 358 869
Basingstoke@brandonhirestation.com

BATH (12) BA2 3HQ
Tel 01225 445 884
Bath@brandonhirestation.com

BEDFORD (579) MK42 9SU
Tel 01234 329 000
Bedford@brandonhirestation.com

BIRMINGHAM (556) B19 3HW
Tel 0121 212 6040
Birmingham@brandonhirestation.com

BLANDFORD FORUM (73) DT11 7TB
Tel 01258 455 777
BlandfordForum@brandonhirestation.com

BODMIN (504) PL31 1DQ
Tel 01208 785 85
Bodmin@brandonhirestation.com

BOGNOR REGIS (87) PO22 9GH
Tel 01243 841 064
BognorRegis@brandonhirestation.com

BOLTON (578) BL3 6BY
Tel 01204 360 900
Bolton@brandonhirestation.com

BOURNEMOUTH (68) BH9 1AB
Tel 01202 533 566
Bournemouth@brandonhirestation.com

BRADFORD (115) BD4 7LX
Tel 01274 210 990
Bradford@brandonhirestation.com

BRIDGEND (26) CF31 1TZ
Tel 01656 767 795
Bridgend@brandonhirestation.com

BRIDGWATER (36) TA6 4BH
Tel 01278 425 542
Bridgwater@brandonhirestation.com

BRIGHTON (213) BN3 5RY
Tel 01273 420 111
Brighton@brandonhirestation.com

BRISTOL - BEDMINSTER (317) BS3 5BQ
Tel 0117 955 9395
Bristol.Bedminster@brandonhirestation.com

BRISTOL - FEEDER RD (2) BS2 0TQ
Tel 0117 971 9119
Bristol.FeederRoad@brandonhirestation.com

BRISTOL - FISHPONDS (11) BS16 3PQ
Tel 0117 965 5746
Bristol.Fishponds@brandonhirestation.com

BRISTOL - HOTWELLS (13) BS8 4RY
Tel 0117 927 6395
Bristol.Hotwells@brandonhirestation.com

BURY ST EDMUNDS (519) IP32 7BX
Tel 01284 767 155
BuryStEdmunds@brandonhirestation.com

CAERPHILLY (32) CF83 3ED
Tel 02920 883 336
Caerphilly@brandonhirestation.com

CAMBERLEY (512) GU15 2QW
Tel 01276 671 352
Camberley@brandonhirestation.com

CAMBRIDGE (528) CB1 7EB
Tel 01223 212 648
Cambridge@brandonhirestation.com

CANNING TOWN (402) E16 4SA
(Use the postcode E16 4SR for sat nav.)
Tel 0207 511 1676
CanningTown@brandonhirestation.com

CANTERBURY (207) CT1 3RH
Tel 01227 463 910
Canterbury.MaynardRoad@brandonhirestation.com

CARDIFF - CATHAYS (405) CF24 4FX
Tel 02920 383 646
Cardiff.Cathays@brandonhirestation.com

CARDIFF - ROATH (25) CF23 9AB
Tel 02920 493 679
Cardiff.Roath@brandonhirestation.com

CARLISLE (128) CA1 2RW
Tel 01228 623 400
Carlisle@brandonhirestation.com

CHELMSFORD (49) CM1 3BU
Tel 01245 358 444
Chelmsford@brandonhirestation.com

CHELTENHAM (6) GL51 9PL
Tel 01242 577 899
Cheltenham@brandonhirestation.com

CHESSINGTON (306) KT9 1ST
Tel 0203 040 0270
Chessington@brandonhirestation.com

CHESTER (541) CH1 4LT
Tel 01244 394 900
Chester@brandonhirestation.com

CHESTERFIELD (610) S41 7LG
Tel 01246 211 711
Chesterfield@brandonhirestation.com

CHRISTCHURCH - JUMPERS AVE (69)
BH23 2EP
Tel 01202 477 227
Christchurch.JumpersAvenue@brandonhirestation.com

CHRISTCHURCH - SOMERFORD RD (218)
BH23 3PY
Tel 01202 474 225
Christchurch.SomerfordRoad@brandonhirestation.com

COLCHESTER (622) CO3 0NR
Tel 01206 574 888
Colchester@brandonhirestation.com

COVENTRY (643) CV6 5AH
Tel 02476 666 554
Coventry.Foleshill@brandonhirestation.com

CROYDON (567) CRO 4RR
Tel 0208 253 0390
Croydon@brandonhirestation.com

DERBY (604) DE21 4AE
Tel 01332 349 760
Derby@brandonhirestation.com

DUNDEE (139) DD2 3QW
Tel 01382 240 010
Dundee@brandonhirestation.com

EASTBOURNE (277) BN23 6PW
Tel 01323 635 520
Eastbourne@brandonhirestation.com

EASTLEIGH (321) SO50 4NT
Tel 0238 033 2277
Eastleigh@brandonhirestation.com

EDINBURGH (537) EH11 4DW
Tel 0131 458 3111
Edinburgh@brandonhirestation.com

ELLESMERE PORT (516) CH65 8AX
Tel 0151 357 3121
EllesmerePort@brandonhirestation.com

EVESHAM (40) WR11 1GS
Tel 01386 765 559
Evesham@brandonhirestation.com

EXETER - SOWTON (533) EX2 7LW
Tel 01392 444 411
Exeter.Sowton@brandonhirestation.com

EXETER - MARSH BARTON (81) EX2 8QQ
Tel 01392 410 700
Exeter.TrushamRoad@brandonhirestation.com

FOLKESTONE (209) CT19 5EY
Tel 01303 276 319
Folkestone@brandonhirestation.com

GATESHEAD (125) NE11 0JS
Tel 0191 482 0342
Gateshead@brandonhirestation.com

GATWICK (566) RH10 9NX
Tel 01293 577 930
Gatwick@brandonhirestation.com

GILLINGHAM (43) ME7 5JS
(Use the postcode ME7 5JP for sat nav.)
Tel 01634 575 221
Gillingham@brandonhirestation.com



BRANCH QUICK FINDER

BRANCH QUICK FINDER

SALFORD (564) M50 1AY
Tel 0161 707 2277
Salford@brandonhirestation.com

SALISBURY (65) SP2 7NR
Tel 01722 427 180
Salisbury@brandonhirestation.com

SALTASH (535) PL12 6LX
Tel 01752 841 148
Saltash@brandonhirestation.com

SCARBOROUGH (588) YO11 3YS
Tel 01723 584 999
Scarborough@brandonhirestation.com

SHEFFIELD - ATTERCLIFFE (109) S9 3QN
Tel 0114 244 5786
Sheffield.Attercliffe@brandonhirestation.com

SHEFFIELD - ST MARY'S RD (532) S2 4AW
Tel 0114 275 5179
Sheffield.StMarysRoad@brandonhirestation.com

SHREWSBURY (631) SY1 3TG
Tel 01743 450 900
Shrewsbury@brandonhirestation.com

SITTINGBOURNE (205) ME10 2PG
Tel 01795 429 687
Sittingbourne@brandonhirestation.com

SKIPTON (117) BD23 2TZ
Tel 01756 799 444
Skipton@brandonhirestation.com

SOUTHAMPTON (18) SO15 3FE
Tel 02380 330 303
Southampton@brandonhirestation.com

ST AUSTELL (502) PL25 3RF
Tel 01726 817 307
StAustell@brandonhirestation.com

STEVENAGE (325) SG1 2EQ
Tel 01438 203 600
Stevenage@brandonhirestation.com

STOKE (635) ST4 2AG
Tel 01782 414 641
Stoke@brandonhirestation.com

STROOD (203) ME2 2AU
Tel 01634 715 522
Strood@brandonhirestation.com

SUNDERLAND (506) SR2 8BL
Tel 0191 514 6990
Sunderland@brandonhirestation.com

SWANSEA - ENTERPRISE PARK (406) SA7 9AH
Tel 01792 252 030
Swansea.EnterprisePark@brandonhirestation.com

SWANSEA - LLANSAMLET (30) SA7 9AG
Tel 01792 798 167
Swansea.Llansamlet@brandonhirestation.com

SWINDON (10) SN5 7UL
Tel 01793 641 044
Swindon@brandonhirestation.com

TAUNTON (35) TA2 8DN
Tel 01823 259 501
Taunton@brandonhirestation.com

TELFORD - STAFFORD PARK (575) TF3 3BA
Tel 01952 210 960
Telford.StaffordPark@brandonhirestation.com

TELFORD - TWEEDALE (634) TF7 4JR
Tel 01952 581 490
Telford.Tweedale@brandonhirestation.com

TONBRIDGE - EVENTS (44) TN9 1RS
Tel 01732 361 199
Tonbridge.Events@brandonhirestation.com

TONBRIDGE - SOVEREIGN WAY (208) TN9 1RH
Tel 01732 361 333
Tonbridge.SovereignWay@brandonhirestation.com

TORQUAY (96) TQ2 7AT
Tel 01803 322 505
Torquay@brandonhirestation.com

TOTNES (510) TQ9 5LE
Tel 01803 865 119
Totnes@brandonhirestation.com

TOWER BRIDGE (304) SE16 4DG
Tel 0207 237 7273
TowerBridge@brandonhirestation.com

TROWBRIDGE (62) BA14 8RL
Tel 01225 766 141
Trowbridge@brandonhirestation.com

TRURO (88) TR1 3PY
Tel 01872 240 644
Truro@brandonhirestation.com

WALLASEY (515) CH44 4DD
Tel 0151 630 1212
Wallasey@brandonhirestation.com

WARRINGTON (102) WA2 7UW
Tel 01925 242 422
Warrington@brandonhirestation.com

WEST BROMWICH (243) B70 8JH
Tel 0121 525 1277
WestBromwich@brandonhirestation.com

WESTON-SUPER-MARE (14) BS23 3YX
Tel 01934 632 621
WestonSuperMare@brandonhirestation.com

WEYMOUTH (74) DT4 9TJ
Tel 01305 770 303
Weymouth@brandonhirestation.com

WIMBORNE (71) BH21 1RB
Tel 01202 888 720
Wimbome@brandonhirestation.com

WINCHESTER (19) SO23 7FA
Tel 01962 858 400
Winchester@brandonhirestation.com

WOLVERHAMPTON (619) WV10 6HH
Tel 01902 304 545
Wolverhampton@brandonhirestation.com

WORCESTER (38) WR3 8HR
Tel 01905 755 333
Worcester@brandonhirestation.com

WORTHING (60) BN14 8AG
Tel 01903 202 212
Worthing@brandonhirestation.com

YEovil (89) BA20 2HL
Tel 01935 310 666
Yeovil@brandonhirestation.com

YORK (570) YO30 4WU
Tel 01904 477 820
York@brandonhirestation.com

We have clear procedures, on the safe handling and handover of equipment on home and onsite deliveries and collections and at our branches. For further information please see our website.



ONLINE BRANCH FINDER - brandonhirestation.com

Contact your local branch or call 0370 99 00 999